

## CONTENTS OF VOLUME 36

**Adams, J. B.** and **McAllan, J. W.** Pectinase in certain insects, 305.  
**Andoff, R.** See Speirs, J. M., 843.  
**Barlow, J. S.** See House, H. L., 629.  
**Beckel, W. E.** Investigations of permeability, diapause, and hatching in the eggs of the mosquito *Aedes hexodontus* Dyar, 541.  
     Observations on the rearing of larvae, pupae, and adults of some *Aedes* mosquitoes of northern Canada, 797.  
**Bennett, G. F.** See Fallis, A. M., 533.  
**Berkeley, C.** See Berkeley, E., 399.  
**Berkeley, E.** and **Berkeley, C.** Some notes on a collection of Polychaeta from the north-east Pacific south of latitude 32° N., 399.  
**Bernard, R.** See Huot, L., 7.  
**Bigelow, R. S.** Evolution in the field cricket, *Acheta assimilis* Fab., 139.  
**Bronskill, J. F., Salkeld, E. H., and Friend, W. G.** Anatomy, histology, and secretions of salivary glands of the large milkweed bug, *Oncopeltus fasciatus* (Dallas) (Hemiptera: Lygaeidae), 961.  
**Butler, L.** The inheritance of litter size, body weight, and variability in a cross between two inbred strains of mice, 969.  
**Chant, D. A.** Descriptions of six new species of *Garmania* Nesbitt and *Lasioseius* Berlese (Acarina : Aceosejidae), 383.  
**Coppel, H. C.** Studies on dipterous parasites of the spruce budworm, *Choristoneura fumiferana* (Clem.) (Lepidoptera : Tortricidae). VI. *Phorocera incrassata* Smith (Diptera : Tachinidae), 453.  
**Cornwall, I. E.** Identifying recent and fossil barnacles, 79.  
**Cowan, I. M.** See Kitts, W. D., 279.  
**Dixon, S. E.** and **Shuel, R. W.** Studies in the mode of action of royal jelly in honeybee development. I. Changes occurring in fresh royal jelly determined by Cartesian diver respirometry, 197.  
**Dunbar, R. W.** The salivary gland chromosomes of two sibling species of black flies included in *Eusimulium aureum* Fries, 23.  
**Edwards, D. K.** Effects of acclimatization and sex on respiration and thermal resistance in *Tribolium* (Coleoptera : Tenebrionidae), 363.  
**Eidt, D. C.** Anatomy and histology of the full-grown larva of *Ctenicera aeripennis destructor* (Brown) (Coleoptera : Elateridae), 317.  
**Engelbert, V. E.** Nuclear activity of blood cells, 131.  
**Ewen, A. B.** and **Saunders, L. G.** Contributions toward a revision of the genus *Atrichopogon* based on characters of all stages (Diptera, Heleidae), 671.  
**Fairbairn, D.** Trehalose and glucose in helminths and other invertebrates, 787.  
**Fallis, A. M.** and **Bennett, G. F.** Transmission of *Leucocytozoon bonasae* Clarke to ruffed grouse (*Bonasa umbellus* L.) by the black flies *Simulium latipes* Mg. and *Simulium aureum* Fries, 533.  
**Fisher, K. C.** and **Sullivan, C. M.** The effect of temperature on the spontaneous activity of speckled trout before and after various lesions of the brain, 49.  
**Ford, P.** Studies on the development of the kidney of the Pacific pink salmon (*Oncorhynchus gorbuscha* (Walbaum)). II. Variation in glomerular count of the kidney of the Pacific pink salmon, 45.  
**Ford, P.** and **Newstead, J. D.** Studies on the development of the kidney of the Pacific pink salmon, (*Oncorhynchus gorbuscha* (Walbaum)). I. The development of the pronephros, 15.  
**Friend, W. G.** See Bronskill, J. F., 961.  
**Friend, W. G., Salkeld, E. H., and McClanahan, R. J.** A chemically defined diet and axenic rearing method for larvae of the seed-corn maggot, *Hylemya cilicrura* (Rond.) (Diptera : Anthomyiidae), 931.  
**Gagnon, A.** La toxicité du DDT pour le saumon de l'Atlantique (*Salmo salar* Linné) et les alevins de truite (*Salvelinus fontinalis* Mitchell), 479.  
**Garside, E. T.** and **Tait, J. S.** Preferred temperature of rainbow trout (*Salmo gairdneri* Richardson) and its unusual relationship to acclimation temperature, 563.  
**Ghent, A. W.** Studies of the feeding orientation of the jack pine sawfly, *Neodiprion pratti banksianae* Roh., 175.

**Ghouri, A. S. K.** and **McFarlane, J. E.** Occurrence of a macropterous form of *Gryllodes sigillatus* (Walker) (Orthoptera : Gryllidae) in laboratory culture, 837.

**Gibbs, H. C.** and **Tener, J. S.** On some helminth parasites collected from the musk ox (*Ovibos moschatus*) in the Thelon Game Sanctuary, Northwest Territories, 529.

**Henson, W. R.** The effects of radiation on the habitat temperatures of some poplar-inhabiting insects, 463.

Some ecological implications of the leaf-rolling habit in *Compsolechia niveopulvella* Chamb., 809.

**Hoar, W. S.** Effects of synthetic thyroxine and gonadal steroids on the metabolism of goldfish, 113.

**Holling, C. S.** Sensory stimuli involved in the location and selection of sawfly cocoons by small mammals, 633.

**House, H. L., Riordan, D. F.**, and **Barlow, J. S.** Effects of thermal conditioning and of degree of saturation of dietary lipids on resistance of an insect to a high temperature, 629.

**Huot, L., Bernard, R.** et **Lemonde, A.** Aspects quantitatifs des besoins en minéraux de *Tribolium confusum* Duval. II. Pourcentage optimum des cations Mg, Ca, Na et K, 7.

**Kitts, W. D., Robertson, M. C., Stephenson, B.**, and **Cowan, I. M.** The normal blood chemistry of the beaver (*Castor canadensis*). A. Packed-cell volume, sedimentation rate, hemoglobin, erythrocyte diameter, and blood cell counts, 279.

**Laird, M.** Parasites of South Pacific fishes. I. Introduction, and haematozoa, 153.

Parasites of South Pacific fishes. II. *Diplectanum melanesiensis* n.sp., a monogenetic trematode from Fiji and the New Hebrides, 167.

Parasites of South Pacific fishes. III. Trematodes from the Solomons and New Hebrides, with a description of *Daireosoma parva* n.sp. (Monogenea) from Guadalcanal, 441.

**Lawler, G. H.** Variation in number of dorsal spines in the brook stickleback, *Eucalia incognita*, 127.

**Lemonde, A.** See Huot, L., 7.

**Lewis, J. B.** The biology of the tropical sea urchin *Tripneustes esculentus* Leske in Barbados, British West Indies, 607.

**Lubinsky, G.** Ophryoscolecidae (Ciliata : Entodiniomorphida) of reindeer (*Rangifer tarandus* L.) from the Canadian Arctic. I. Entodiniinae, 819.

On the 12-hooked oncospheres of Canadian strains of *Echinococcus*, 883.

Ophryoscolecidae (Ciliata : Entodiniomorphida) of the reindeer (*Rangifer tarandus* L.) from the Canadian Arctic. II. Diplodiniinae, 937.

**Lubinsky, I.** Studies on *Mytilus edulis* L. of the "Calanus" expeditions to Hudson Bay and Ungava Bay, 869.

**McAllan, J. W.** See Adams, J. B., 305.

**McCauley, R. W.** Thermal relations of geographic races of *Salvelinus*, 655.

**McClanahan, R. J.** See Friend, W. G., 931.

**McFarlane, J. E.** See Ghouri, A. S. K., 837.

**Mahon, J.** Helminth parasites of reptiles, birds, and mammals of Egypt. V. Avian cestodes, 577.

**Margolis, L.** The identity of the species of *Lepeophtheirus* (Copepoda) parasitic on Pacific salmon (genus *Oncorhynchus*) and Atlantic salmon (*Salmo salar*), 889.

A new species of *Lecithophyllum* from North Pacific fishes with a consideration of the taxonomy of the genera *Lecithophyllum*, *Aponurus*, and *Brachadema* (Trematoda : Hemiuridae), 893.

**Meerovitch, E.** A new host of *Entamoeba invadens* Rodhain, 1934, 423.

Some biological requirements and host-parasite relations of *Entamoeba invadens*, 513.

**Miller, C. A.** The measurement of spruce budworm populations and mortality during the first and second larval instars, 409.

**Montreuil, P. L.** *Corynosoma magdaleni* sp. nov. (Acanthocephala), a parasite of the gray seal in Eastern Canada, 205.

Relaxation and fixation of Acanthocephala, 263.

**Mulvey, R. H.** Parthenogenesis in a cyst-forming nematode, *Heterodera trifolii* (Nematoda : Heteroderidae), 91.

Impregnation of *Heterodera trifolii* by males of *H. schachtii* (Nematoda : Heteroderidae), 839.

**Neal, G. M.** Notes on some Dicranophorinae (Rotifera), 95.

**Newstead, J. D.** See Ford, P., 15.

**Peterson, D. G.** See Wolfe, L. S., 863.

**Premvati.** Studies on *Strongyloides* of primates. I. Morphology and life history of *Strongyloides fülleborni* von Linstow, 1905, 65.  
 Studies on *Strongyloides* of primates. II. Factors determining the "direct" and the "indirect" mode of life, 185.  
 Studies on *Strongyloides* of primates. III. Observations on the free-living generations of *S. fülleborni*, 447.  
 Studies on *Strongyloides* of primates. IV. Effect of temperature on the morphology of the free-living stages of *Strongyloides fülleborni*, 623.

**Price, J. L.** Cryptic speciation in the *vernalis* group of Cyclopidae, 285.

**Reed, E. B.** Two new species of *Diaptomus* from arctic and subarctic Canada (Calanoida, Copepoda), 663.

**Riordan, D. F.** See House, H. L., 629.

**Robertson, M. C.** See Kitts, W. D., 279.

**Ronald, K.** The metazoan parasites of the Heterosomata of the Gulf of St. Lawrence. III. *Copepoda parasitica*, 1.  
 The metazoan parasites of the Heterosomata of the Gulf of St. Lawrence. IV. *Cestoda*, 429.

**Salkeld, E. H.** See Bronskill, J. F., 961; Friend, W. G., 931.

**Salt, R. W.** Relationship of respiration rate to temperature in a supercooled insect, 265.

**Saunders, L. G.** See Ewen, A. B., 671.

**Shepherd, R. F.** Factors controlling the internal temperatures of spruce budworm larvae, *Choristoneura fumiferana* (Clem.), 779.

**Shuel, R. W.** See Dixon, S. E., 197.

**Smith, R. W.** Parasites of nymphal and adult grasshoppers (Orthoptera : Acrididae) in Western Canada, 217.

**Speirs, J. M. and Andoff, R.** Nest attentivity of Lincoln's sparrow determined using thermistor bridge, 843.

**Steiner, G.** *Monhystera cameroni* n. sp.—a nematode commensal of various crustaceans of the Magdalen Islands and Bay of Chaleur (Gulf of St. Lawrence), 269.

**Stephenson, B.** See Kitts, W. D., 279.

**Sullivan, C. M.** See Fisher, K. C., 49.

**Sweatman, G. K.** On the population reduction of chorioptic mange mites on cattle in summer, 391.  
 Redescription of *Chorioptes texanus*, a parasitic mite from the ears of reindeer in the Canadian Arctic, 525.  
 Biology of *Olodectes cynotis*, the ear canker mite of carnivores, 849.  
 On the life history and validity of the species in *Psoroptes*, a genus of mange mites, 905.

**Tait, J. S.** See Garside, E. T., 563.

**Tener, J. S.** See Gibbs, H. C., 529.

**Thomson, H. M.** Some aspects of the epidemiology of a microsporidian parasite of the spruce budworm, *Choristoneura fumiferana* (Clem.), 309.  
 The effect of a microsporidian parasite on the development, reproduction, and mortality of the spruce budworm, *Choristoneura fumiferana* (Clem.), 499.

**Warburton, F. E.** Boring sponges, *Cliona* species, of Eastern Canada, with a note on the validity of *C. lobata*, 123.  
 The manner in which the sponge *Cliona* bores in calcareous objects, 555.

**Webster, G. A.** On prenatal infection and the migration of *Toxocara canis* Werner, 1782 in dogs, 435.

**Wilson, M. S.** New records and species of calanoid copepods from Saskatchewan and Louisiana, 489.

**Wolfe, L. S. and Peterson, D. G.** A new method to estimate levels of infestations of black-fly larvae (Diptera : Simuliidae), 863.

**Wu, L. Y.** Morphology of *Ditylenchus destructor* Thorne, 1945 (Nematoda : Tylenchidae), from a pure culture, with special reference to reproductive systems and esophageal glands, 569.

**Zacharuk, R. Y.** Structures and functions of the reproductive systems of the prairie grain wireworm, *Ctenicera aeripennis destructor* (Brown) (Coleoptera : Elateridae), 725.  
 Postembryonic development of the reproductive systems of the prairie grain wireworm, *Ctenicera aeripennis destructor* (Brown) (Coleoptera : Elateridae), 753.

## CORRECTION

Volume 36, page 307. The following information should be inserted in Table I between the species *Eriosoma lanigerum* (Hausm.) and *Rhopalosiphum maidis* (Fitch), under *Aphididae*:

<i>Macrosiphoniella millefolii</i> (DeGeer)	<i>Achillea millefolium</i> L.	17/8/57	+			
<i>Macrosiphum solanifolii</i> (Ashm.)	<i>S. tuberosum</i> L.	10/7/56	+	+	+	
<i>Macrosiphum solanifolii</i> (Ashm.)	<i>Rosa</i> sp.	12/7/57	-			
<i>Melaphis rhois</i> (Fitch)	<i>Rhus typhina</i> L.	18/8/56		-		
<i>Myzus cerasi</i> (Fab.)	<i>Prunus pensylvanica</i> L.	9/9/56	-	-	-	-
<i>Myzus persicae</i> (Sulz.)	<i>S. tuberosum</i> L. and	-/7/55 -/7/56	+	+		
<i>Myzus persicae</i> (Sulz.)	<i>Brassica napobrassica</i> Mill.	-/8/56	+	+	+	
<i>Periphyllus negundinis</i> (Thomas)	<i>Acer negundo</i> L.	11/8/56	+			
<i>Phorodon humuli</i> (Schrank)	<i>Prunus nigra</i> L.	12/6/56	+	-	+	-
<i>Phorodon humuli</i> (Schrank)	<i>Humulus</i> sp.	12/8/57	-			
<i>Prociphilus tessellata</i> (Fitch) ( <i>Plerocomma populifoliae</i> ) near this species (Fitch))	<i>Acer negundo</i> L.	10/9/57		-		
<i>Plerocomma smithiae</i> (Monell)	<i>Salix</i> sp.	8/8/57	+			
	<i>Salix</i> sp.	8/8/57	+			

